

ARVID BESSEN, Department of Computer Science, Columbia University, New York, NY 10027, USA
A Lower Bound for the Sturm–Liouville Eigenvalue Problem on a Quantum Computer

We study the complexity of approximating the lowest eigenvalue of a Sturm–Liouville differential equation on a quantum computer. Our main focus is on the special case of computing the ground state energy of a quantum system for a given potential.

Recently Papageorgiou and Woźniakowski proved that quantum computers could achieve exponential speedups compared to classical computers for certain potentials. Papageorgiou’s and Woźniakowski’s method uses the (discretized) unitary propagator $\exp(i\mathbb{L}_q)$ as a query; here \mathbb{L}_q is the differential operator for the Sturm–Liouville problem. If the operator $\exp(ip\mathbb{L}_q)$ (a “power query”) is computable in cost comparable to $\exp(i\mathbb{L}_q)$ for any integer p , one can solve the Sturm–Liouville problem with $\mathcal{O}(\log \epsilon^{-1})$ power queries.

In this paper we will prove a matching lower bound of $\Omega(\log \epsilon^{-1})$ power queries, therefore showing that $\Theta(\log \epsilon^{-1})$ power queries are sufficient and necessary. Our proof is based on a frequency analysis technique, which examines the probability distribution of the final state of a quantum algorithm and the dependence of its Fourier transform on the input. This method was first used to give a lower bound for the number of power queries in the phase estimation problem on quantum computers.